

Space Weather Models running in real-time or forecasting mode

Yihua Zheng




About WSA+ENLIL



The WSA+ENLIL **Model Suite**

Wang-Sheeley-Arge (WSA Model) 1 Rs - 21.5Rs (0.0046 -0.1AU)

Photospheric magnetic field maps (can be from satellite observations such SOHO/MDI or SDO/HMI or ground-based observations such as GONG the magnetogram) are used as input to the WSA model (model solar corona up to 21.5 Rs) to represent the ambient solar wind.




ENLIL: 0.1 AU – 2 AU (operations)

Model of the solar wind in the heliosphere



venus diamond mercury square

Observed Photospheric Field from GON





EN = Lord + LÍL = Storm, "Lord (of the) Storm"




Courtesy: Dusan Odstrcil



WSA+ENLIL: capable of modeling the solar wind for both 'fair' weather and 'storm' conditions





Fair weather: ambient solar wind






Stormy Weather: Eruptions (CME)








Modeling of solar wind under stormy conditions





ENLIL Visualization




Courtesy of Stijn Calders @BIRA






Modeling of solar wind under stormy conditions Earth-directed








Forecasting capability enabled by WSA+ENLIL





WSA+ENLIL+cone


Predicting impacts of CMEs

WSA+ENLIL

Modeling and predicting the ambient solar wind




SWMF















06/07/2013 Time = 02:49:55

Northern Hemisphere



Northern Hemisphere noon solid contour: polar cap boundary noon

dusk

ს, [^{ლA}2] −0.290<⊔,<0.38: +0.382

-0.382

MLAT=50.0


Model at CCMC: BATSRUS midnight

dawn




Flare Prediction Model ASAP (Automatic Solar Activity Prediction)

http://spaceweather.inf.brad.ac.uk/asap/





Flare Prediction Model ASSA (Automatic Solar Synoptic Analyzer)




Provided by

Korean Space Weather Center



Flare Prediction Model MAG4 (UAH/MSFC, Falconer et al.)







Flare Scoreboard

https://ccmc.gsfc.nasa.gov/challenges/flare.php

Currently registered models and particpating partners:

AMOS

Automatic McIntosh-based Occurrence probability of Solar activity



Administration



ASAP

Automated Solar Activity Prediction



ASSA

Automatic Solar Synoptic Analyzer



BoM

Data-driven probabilistic flare forecast model



Australian Government Bureau of Meteorology

MAG4

MAG4 LOS and Vector Magnetogram Forecasts (four products)



Met Office

Space Weather Forecast (full disk) and Sunspot Region Summary



SIDC

SIDC human operator moderated



Royal Observatory of Belgium

SolarMonitor.org Flare Prediction System



UFCORIN

Universal Forecast Constructor by Optimized Regression of INputs



Beta Flare Scoreboard Result

https://iswa.gsfc.nasa.gov/IswaSystemWebApp/index.jsp?i 1=606&I 1=7 &t 1=33&w 1=1721&h 1=865&s 1=0



SEP prediction REIeASE (Relativistic electron Alert System for Exploration)

Proton flux forecast model based on electron measurements by SOHO/COSTEP developed by Arik Posner

Reference: Posner, A. (2007), Up to 1-hour forecasting of radiation hazards from solar energetic ion events with relativistic electrons, Space Weather, 5, S05001, doi:10.1029/2006SW000268.


HESPERIA REIEASE (v20190101)






RELeASE: Example

REleASE proton flux forecast at CCMC (data source: costep2) by ETPH IEAP CAU Kiel and SWRI — data gaps due to limited DSN coverage




SOHO/COSTEP real—time proton flux at CCMC (data source: costep2) data gaps 'due to limited DSN còverage



2011/11/26 Time: 03:58:52

2011/11/27 Time: 03:58:52




SEP Prediction UMA Proton Flux Forecast

Núñez, M. (2011), Predicting solar energetic proton events (E > 10 MeV), Space Weather, 9, S07003, doi 10.1029/2010SW000640.



UMASEP Model







ISEP & SEP Scoreboard https://kahala2.ccmc.gsfc.nasa.gov/isep/

Models

HESPERIA REIEASE

High Energy Solar Particle Events foRecastIng and Analysis

Relativistic Electron Alert System for Exploration







University of Malaga Solar energetic proton Event Predictor



SEPSTER

SEP predictions inspired by STEReo





STAT

SPE Threat Assessment Tool

(CORHEL+EPREM)





MAG4

Magnetogram Forecast




SEPMOD SEP MODel





ISEP & SEP Scoreboard https://kahala2.ccmc.gsfc.nasa.gov/isep/



dashed: gedsyncrarious brbit.


Madel at COMO: Fak-RO





Examples of April 5 events





Galaxy 15 failed approx 9:48Z

5.

-10.


Model at COMO: Fak-RO


 $\times [R_c]$







Fok Radiation Belt Model












Auroral Model: Ovation Prime

all,e 2013/06/07 04:00:00 48.9 GW



Empirical model based on ACE measurements at L1


Newell et al., 2007, JGR





CTIPe


Coupled Thermosphere Ionosphere Plasmasphere Electrodynamics Model





PBMOD Scintillation Model

http://ccmc.gsfc.nasa.gov/RoR WWW/pbmod-rt/PBMOD-Text.html





Physics Based MODels - Time-Dependent Model of The Global Low-Latitude I onosphere, Plasma Irregularities, and Radio Scintillation



ABBYNormal HF Signal Absorption due to Solar Flares

http://ccmc.gsfc.nasa.gov/models/modelinfo .php?model=ABBYNormal





Predicted Kp, Dst

Kp based on Newell et al. Formula Dst from SWMF
Dst from WINDMI

http://ccmc.gsfc.nasa.gov/models/modelinfo.p hp?model=WINDMI